



Product Type: Transformer terminal

**Product Name:620191**

Product Description: Rated Voltage : 600V Rated Current: 24A



## Product Size



## Parameters

☞ SUPU ID	620191
☞ Pitch	23.6
☞ Number of levels	单层
☞ Number of connections	3

☞ Connection method	Screw connection
☞ Protection Level	IP20
☞ Operating temperature range	-40~+105°C
☞ Insulation material	PA66
☞ Insulation material group	I
☞ Contact material	Copper alloy
☞ Contact plating	Sn plated
☞ Color	Grey

## Technical data

☞ IEC Rated Current	24A
☞ IEC Rated Voltage	600V
☞ Overvoltage category	III
☞ Degree of pollution	3
☞ Rated impulse voltage	3KV - -
☞ UL Rated Current	24A 24A -
☞ UL Rated Voltage	600V 600V -
☞ Conductor cross section rigid	0.5-2.5mm <sup>2</sup>
☞ Conductor cross section flexible	0.5-2.5mm <sup>2</sup>
☞ Conductor cross section flexible,with ferrule	0.5-2.5mm <sup>2</sup>
☞ Locking screw Specification	M3
☞ Locking screw torque	0.6-0.8N · M
☞ Fixed Screw Specification	-
☞ Stripping length	8~9mm

☞ Order No

620191

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat