




Product Type: PCB terminals

Product Name:TC1.5-3-GY

Product Description:

Product Size



Parameters

☞ SUPU ID	TC1.5-3-GY
☞ Width	4.2mm
☞ Pitch	3.5
☞ Number of levels	1

☞ Number of connections	2
☞ Connection method	直插弹簧接线
☞ Protection Level	IP20
☞ Operating temperature range	-40~+105
☞ Insulation material	PA66
☞ Insulation material group	4
☞ Contact material	Copper alloy
☞ Contact plating	Sn,Plated

Technical data

☞ IEC Rated Current	8
☞ IEC Rated Voltage	500V
☞ Overvoltage category	III
☞ Degree of pollution	3
☞ Rated impulse voltage	6KV
☞ Conductor cross section rigid	0.2-1.5mm ²
☞ Conductor cross section flexible	0.2-1.5mm ²
☞ Conductor cross section flexible,with ferrule	0.2-1.5mm ²
☞ Stripping length	8-10mm

Commercial data

☞ Order No	3040054
☞ Packing unit	600
☞ Minimum order quantity	1200

Weight per unit (without packaging)

10g

Single piece weight

9.89g

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail: supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat