




Product Type: Heavy-duty connector pins

**Product Name:SCGF-005-0.33**

Product Description: 5A gold plated,Female,compatible with 0.33mm<sup>2</sup>

## Product Size



## Parameters

|                                                                                                               |                                  |
|---------------------------------------------------------------------------------------------------------------|----------------------------------|
|  SUPU ID                     | SCGF-005-0.33                    |
|  Operating temperature range | -40°C~+125°C                     |
|  Category                    | cold-pressed pin female terminal |
|  Connection method           | Crimp terminal                   |

|                        |      |
|------------------------|------|
| ⌘ Mechanical endurance | ≥500 |
|------------------------|------|

Technical data

|                            |                                    |
|----------------------------|------------------------------------|
| ⌘ IEC Rated Current        | 5A                                 |
| ⌘ Contact/surface material | Hard-gold Plated                   |
| ⌘ Pin Material             | Copper Alloy                       |
| ⌘ Contact resistance       | ≤3mΩ                               |
| ⌘ Wire Specification       | 0.25-0.33mm <sup>2</sup> /26-22AWG |

Commercial data

|                          |               |
|--------------------------|---------------|
| ⌘ Order No               | SCGF-005-0.33 |
| ⌘ Packing unit           | PCS           |
| ⌘ Minimum order quantity | 1             |

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

---

Date:2026-03-04 18:41

The right to modify data belongs to SUPU.