




Product Type: M8 Panel Mounting Connector

Product Name: M8B05C-FPSFHUA

Product Description: M8B panel female 5-core welded type, front mounted, M8*0.5

Product Size



Parameters

| | |
|-------------------------------|-----------|
| ☞ SUPU ID | M8 |
| ☞ Number of connections | 5 |
| ☞ Protection Level | IP67 |
| ☞ Operating temperature range | -40~+85°C |

| | |
|------------------------|-------------------|
| ☞ Mounting Type | Front Panel Mount |
| ☞ Color | Black |
| ☞ Core number | 5 |
| ☞ Thread type | M8X0.5 |
| ☞ Category | Female |
| ☞ Product type | B |
| ☞ Coding | B |
| ☞ Connection method | Cup Port |
| ☞ Mechanical endurance | 100 |
| ☞ Standards | IEC61076-2-104 |

Technical data

| | |
|----------------------------|-----------------|
| ☞ IEC Rated Current | 3A |
| ☞ IEC Rated Voltage | 30 VAC / 30 VDC |
| ☞ Degree of pollution | 3 |
| ☞ Insulation Resistance | ≥100MΩ |
| ☞ Contact resistance | <10mΩ |
| ☞ Contact/surface material | CuSn/Ni/Au |
| ☞ Contact carrier material | PA |
| ☞ Screw/nut material | CuZn |
| ☞ Sealing material | NBR |
| ☞ Cable length | / |
| ☞ 导线材料 | / |

Commercial data

☞ Order No

M8B05C-FPSFHUA

☞ Packing unit

PCS

☞ Minimum order quantity

1

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

Date:2026-03-10 12:33

The right to modify data belongs to SUPU.